

J#99 0

JAPANESE MEDICAL MATERIEL

JAPANESE DRUGS AND MEDICINES

257360

Japanese Drugs and Medicines

The following Japanese drugs and medicines have been analyzed and found to be of no intelligence value:

1. Baylene, methylenedioxystyrene and Dypala, (Benzocaine), powder, bottle, 25 gm.
2. Analgesic Compound, (Poniston), ointment, tube, 17 gm.
3. Isome 1015, (Miltol), (Miltol), sterile solution, 10 x 1 cc; ampules.
4. Ascorbic Acid, (Cortan), sterile solution, 3 x 1 cc; ampules, 3 cc; ampules, 100 gm. L-ascorbic acid.
5. Isome 1, (Isome 1), crystals, bottle, 25 gm.
6. Benzocaine, (Benzocaine), tablets, 30, 100 gm.

INVENTORY REPORT NO. 8

21 March 1946.

ARMY
MEDICAL
MAY 6 - 1946
LIBRARY

MEDICAL ANALYSIS SECTION

5250th Technical Intelligence Company
APO 500

U.S. Army

MEDICAL ANALYSIS SECTION
5250th Technical Intelligence Company
Office of the Assistant Chief of Staff, G-2
UNITED STATES ARMY FORCES, PACIFIC

21 March 1946.

INVENTORY REPORT NO. 8

Japanese Drugs and Medicines

The following Japanese drugs and medicines have been examined and found to be of no Intelligence value:

1. Amylase, Amylopsin Steapsin and Trypsin, (Maruhopan), powder, bottle, 25 gm.
2. Analgesic Ointment, (Fondent), ointment, tube, 17 gm.
3. Arseno Iodide, Guaiacol, (Benzchin), sterile solution, 10 x 1 cc. ampoules.
4. Ascorbic Acid, (Cantan), sterile solution, 5 x 1 cc. ampoules, 1 cc. equals .025 gm. l-ascorbic acid.
5. Azure I, (Azur I), crystals, bottle, 25 gm.
6. Benzedrine, (Sandorman), tablets, vial of 30, .003 gm.
7. Calcium Iodide, Calcium, a Bromide and a Salicylate Injection, (Allestin), sterile solution, 3 x 25 cc. ampoules.
8. Carbromal, (Adalin), tablets, envelope of 10, .1 gm.
9. Chlorobutanol, Dimazon, Camphor Ointment, (Borraginol Ointment), ointment, can, 25 gm.
Contains:
 (Acetone Chloroform -- 0.5%)
 (Dimazon (Saxyl) -- 0.5%)
 (Camphor Liniment -- 10.0%)
 Fat extracted from Asperifoliaceae and
 Cruciferae plants.
10. Cocaine Hydrochloride, (Cocaine Hydrochloride Tablets), tablets, 10 vials of 20, .1 gm.

11. Cotarnine and Gelatin Solution, (Sterile Anaptol Gelatin), sterile solution, ampoule, 10 cc.
Contains:
 (Gelatin - 10%)
 (Cotarnine Hydrochloride - 1%)
 (Sodium Chloride and Sodium Carbonate)
12. Cresolic Antiseptic, (Ogezon), solution, bottle, 500 cc.
13. Cresolic Antiseptic, (Septon), solution, bottle, 500 cc.
14. Desiccated Pancreas, Liver and Thyroid, (Edera), powder, bottle, 25 gm.
15. 2,6 - Dichlorophenol - Indophenol Sodium, (2,6 - Dichlorophenol - Indophenol Sodium), powder, ampoule, 1 gm.
16. Diastase, (Fastase), tablets, bottle of 100.
17. Effervescent Fruit Salts, (Alkan - za), powder, vial, 10 gm.
18. Ephedrine Hydrochloride, (Ephedrine), tablets, envelop of 3, .025 gm.
19. Estrin, (Gynadol), sterile solution, 5 x 1.1 cc. ampoules, 1 cc. equals 100 mouse units.
20. Ferrophytin - Gentian Tablets, (Ferrophytin Tablets), tablets, bottle of 50.
Contains: (per tablet)
 (Ferrophytin - .15 gm.)
 (Ext. Gentian - .10 gm.)
21. Gynantrin, (Puberogen), sterile solution, 2 x 1.1 cc. ampoules, 1 cc. equals 100 rat units.
22. Helminal, (New Maruconinum), tablets, vial of 10, .233 gm.
23. Hydrocotarnine, Pyramidon Amp., (Spamidol), sterile solution, 6 x 1.1 cc. ampoules, 1 cc. equals .105 gm. Spamidol.
24. Iron, Albumin, Bone Marrow, (Neo Blutose), powder, bottle, 500 gm.
25. Iron, Albumin Solution, (Blutose), solution, bottle, 500 cc.
26. Isacen, (Isatole), tablets, vial of 36.

27. Lactic Acid Bacilli and Calcium, (Bio Chukal), tablets, bottle of 500, .2 gm.
28. Liver Extract Ampoules, (Lebonarin), sterile solution, 10 x 2 cc. ampoules, 1 cc. equals 1 gm. fresh cow's liver.
29. Liver Extract, (Nagravon), sterile solution, 5 x 2 cc. ampoules.
30. Novaldin, (Antipyretin), powder, bottle, 5 gm.
31. Papain, (Papain), powder, bottle, 30 gm.
32. Pituitrin (Obstetrical); (Pituglasin #2), sterile solution, 3 x .5cc. ampoules.
33. Pituitrin (S), (Pituglasin (S)), sterile solution, 10 x 1 cc. ampoules, 1 cc. equals 20 international units.
34. Pneumin, (Eusot), powder, bottle, 25 gm.
35. Proflavine, (Trypaflavin), sterile solution, 5 x 10 cc. ampoules, 2%.
36. Pneumin, (Mecikre), powder, bottle, 25 gm.
37. Prophylactic Tube, (Dam neck), ointment, tube, 10 gm.
Contains:

(Boric Acid	- 2.5%)
(Acetic Acid	- 0.5%)
(Aluminum Acetotartrate	- 7.5%)
(Hydroxy Quinoline Sulfate	- 0.3%)

 In water soluble base.
38. Sodium p-chlor m-cresol, (Sporcide), powder, bottle, 500 gm.
39. Spleen, Dried, (Opostatin), tablets, bottle of 50, 1 tablet equals 1.2 gm. spleen.
40. Spleen, Dried, (Kehsin), powder, bottle, 25 gm.
41. Stibamine, (Nesbosan), powder, ampoule, .05 gm.
42. Sulfacetamide, (Acet - Paramine), sterile solution, 5 x 5 cc. ampoules, 30%.
43. Terpin Hydrate, Iron and an Iodide, (Kromozin), solution, bottle, 500 cc.
44. Thiamin Hydrochloride, (Spelzon), powder, bottle, 30 gm.

45. Thiamin Hydrochloride Solution, (Berinose), solution,
bottle, 500 cc.
46. Thymus Vulgaris Extract, Honey and Malt Solution,
(Thymitussin), solution, bottle, 300 cc.
Contains:
 (Extract of Thymus Vulgaris)
 (Honey)
 (Malt)
 (Water)
47. Thymus Vulgaris Extract, Honey and Malt Solution,
solution, (Thymitussin 1:4), solution, bottle, 100 cc.
(Four times strength of Thymitussin.)
48. Tribromoethanol in Amylene Hydrate, (Brotacin), solution,
ampoule, 7 cc.
Contains:
 (1 gm. Tribromoethanol in 1 cc. solution)
 (2 cc. Congo Red Solution T.S.)
49. Vitamin B Complex, (Teruuchi Matsu), sterile solution,
5 x 5 cc. ampoules.